

Certificate of Analysis

Product Name: Human iPSC

Passage Number: 10

Catalog Number: CW50023DD1

Test Parameter	Specification	Result
Identity Confirmation	No more than 1 SNP difference between clone and donor	Pass
Gene Expression	Classified as iPSC	Pass
Plasmid Loss	Evidence of Plasmid Loss	Pass
Mycoplasma	< LOD mycoplasma gDNA	Pass
Karyotype	iPS line has normal karyotype or reflects karyotype state (normal or abnormal) of donor	Pass
Sterility	Negative for Bacteria and Fungus	Pass

The signature below indicates that this lot of cells meets the specifications and may be released for distribution.

Quality Assurance Approval: _____



Date: 25Jun2017

Certificate of Analysis

Product Name: Human iPSC

Passage Number: 10

Catalog Number: CW50023DD1

Test Parameter	Specification	Result
Identity Confirmation	No more than 1 SNP difference between clone and donor	Pass
Gene Expression	Classified as iPSC	Pass
Plasmid Loss	Evidence of Plasmid Loss	Pass
Mycoplasma	< LOD mycoplasma gDNA	Pass
Karyotype	iPS line has normal karyotype or reflects karyotype state (normal or abnormal) of donor	Pass
Sterility	Negative for Bacteria and Fungus	Pass

The signature below indicates that this lot of cells meets the specifications and may be released for distribution.

Quality Assurance Approval: _____



Date: 25Jun2017